

Search **Nucleotide** for  **Go** **Clear**

Limits Preview/Index History Clipboard Details

Display default Show: 1 Send to File Get Subsequence

1: BAB82497. scavenger recepto...[gi:18146952]

[BLink](#), [Domains](#), [Links](#)

LOCUS BAB82497 742 aa linear ROD 18-JAN-2002  
 DEFINITION scavenger receptor with C-type lectin [Mus musculus].  
 ACCESSION BAB82497  
 VERSION BAB82497.1 GI:18146952  
 DBSOURCE accession AB038519.1  
 KEYWORDS .  
 SOURCE Mus musculus (house mouse)  
 ORGANISM Mus musculus Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.  
 REFERENCE 1  
 AUTHORS Nakamura,K., Funakoshi,H., Tokunaga,F. and Nakamura,T.  
 TITLE Molecular cloning of a mouse scavenger receptor with C-type lectin (SRCL) (1), a novel member of the scavenger receptor family  
 JOURNAL Biochim. Biophys. Acta 1522 (1), 53-58 (2001)  
 MEDLINE 21575692  
 PUBMED 11718900  
 REFERENCE 2 (residues 1 to 742)  
 AUTHORS Nakamura,K. and Nakamura,T.  
 TITLE Direct Submission  
 JOURNAL Submitted (18-FEB-2000) Kenji Nakamura, Osaka University Medical School, Division of Biochemistry, Biomedical Research Center; 2-2 yamadaoka, Suita, Osaka 565-0871, Japan (E-mail:knakamur@onbich.med.osaka-u.ac.jp, Tel:81-6-6879-3783(ex.3783), Fax:81-6-6879-3789)  
 FEATURES Location/Qualifiers  
 source 1..742 /organism="Mus musculus"  
 /db\_xref="taxon:10090"  
Protein 1..742 /product="scavenger receptor with C-type lectin"  
CDS 1..742 /gene="srcl"  
 /coded\_by="AB038519.1:77..2305"  
 ORIGIN  
 1 mkddfaeee vqsfgykrfg ihegtqctkc innwalkfsi villyilcall titvailgyk  
 61 vvekmndnvsd gmetshqtd nkltavesdl kklgdqagkk alstnselst frsdildlrq  
 121 qlqeitekts knkdtdleklq angdsldvdrq sqlketlqn sflittvnkt lqayngyvtn  
 181 lqqdtnvlqg nlqsqmlysqs vvimnlnnln ltqvqqrnli snlqqsvddt slaiqriknd  
 241 fqnlqqvflq akkdtdwlke kvqslqtlaa nnsalakann dtledmnsql ssftgqmdni  
 301 ttisqaneqs lkdlqdhlkd tenrtavkfs qleerfqvfe tdivniisni sytahhlrtl  
 361 tsnlndvwtt ctdtltrhtd dltslnntlv nirlsdsislr mqqdmmrskl dtevanlsvv  
 421 meemklvdsk hgqliknfti lggppgprgp kgdrqsgqpp gptgnkgqkg ekgepgppgp  
 481 agergtigpv gppgergskg skgsqgpks rgspgkpgpq gpsgdpgppg ppgkdglpgp  
 541 qgppgfqqlq gtvgcgvpg prglp glpgv pgmpgpkgp gppgpgs game plalqneptp  
 601 asevngcpph wknftdkcyy fslekeiled aklfcdekss hlvfinsree qqwikkhtvg  
 661 reshwigltd seqesewkwl dgspvdynkw kagqpdnwgs ghgpgedcag liyaggwndf  
 721 qcdeinnfic ekereavpss il

//

[Disclaimer](#) | [Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)

Mar 17 2003 10:55:57



## Blast 2 Sequences results

PubMed

Entrez

BLAST

OMIM

Taxonomy


Structure

### BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.2.5 [Nov-16-2002]

Matrix **BLOSUM62** gap open:**11** gap extension:**1**  
 x\_dropoff: **50** expect: **300.0** wordsize: **3**  Filter  Align

**Sequence 1** gi\_17026101 collectin placenta 1 [Homo sapiens] **Length** 742 (1 .. 742)

**Sequence 2** gi\_18146952 scavenger receptor with C-type lectin [Mus musculus] **Length** 742 (1 .. 742)



NOTE: The statistics (bitscore and expect value) is calculated based on the size of nr database

Score = 1417 bits (3669), Expect = 0.0  
 Identities = 680/742 (91%), Positives = 717/742 (95%)

Query: 1	MKDDFAEEEEVQSF <del>GY</del> KRFGI <del>QEGT</del> QCTKCKNNWALKFSI <del>ILLY</del> I <del>L</del> C <del>A</del> LLTITVAILGYK	60
Sbjct: 1	MKDDFAEEEEVQSF <del>GY</del> KRFGI EGTQCTKC NNWALKFSI+ <del>LLY</del> I <del>L</del> C <del>A</del> LLTITVAILGYK	
Query: 61	VVEKMDNV <del>TGGM</del> ETSRQTYDDKLTAVESDLKKLG <del>DQ</del> TGKKA <del>I</del> STNSELSTFRSDILDLRQ	120
Sbjct: 61	VVEKMDNV+ GMETS QTYD+KLTAVESDLKKLG <del>DQ</del> GKKA+STNSELSTFRSDILDLRQ	
Query: 121	QLREITEKTSKNKD <del>TLE</del> KLQAS <del>G</del> DALVDRSQLKETL <del>E</del> NN <del>S</del> LI <del>T</del> TVNKTLQAYNGYVTN	180
Sbjct: 121	QL+ <del>E</del> ITEKTSKNKD <del>TLE</del> KLQAGDSL <del>V</del> DRSQLKETLQNNS <del>N</del> LI <del>T</del> TVNKTLQAYNGYVTN	
Query: 181	LQQDT <del>SVL</del> QGNLQNQMYSHNVVIMNLNNL <del>N</del> LTQVQQRNL <del>I</del> TLQ <del>R</del> SVDDTSQAIQRIKND	240
Sbjct: 181	LQQDT+VLQGNLQ+QMYS +VVIMNLNNL <del>N</del> LTQVQQRNL <del>I</del> +NLQ+SVDDTS AIQRIKND	
Query: 241	FQNLQQVFLQAKKD <del>T</del> DWLKEVQSLQ <del>T</del> LAANNSALAKANNDTLED <del>M</del> NSQLNSFTGQMENI	300
Sbjct: 241	FQNLQQVFLQAKKD <del>T</del> DWLKEVQSLQ <del>T</del> LAANNSALAKANNDTLED <del>M</del> NSQL+SFTGQM+NI	
Query: 301	TTISQANEQNLKD <del>L</del> QDLHKDAENRTA <del>I</del> KFNQLEERFQLFETDIVNI <del>I</del> SNISYTAHHRL <del>T</del> L	360
Sbjct: 301	TTISQANEQ+LKDLQDLHKD ENRTA+KF+QLEERFQ+FETDIVNI <del>I</del> SNISYTAHHRL <del>T</del> L	
Query: 361	TSNLNEVRTTCTDTLKHTDDLTSNN <del>N</del> LANIRLDSVSLRMQQDLMRSRLDTEVANLSVI	420
	TSNLN+V TTCTDTLT+HTDDLTSNN <del>N</del> NIRLDS+SLRMQQD+MRS+LDTEVANLSV+	

Subjct: 361 TSNLNDVWTCTDTLRTHTDDLSNNTLVNIRLDISLRLMQQQDMMRSKLDTEVANLSVV 420  
Query: 421 MEEMKLVDHSKHGQLIKNFTILQGPPGPRGPRGDGRSGQGPPGPTGNKGQKGEKGEPGPPGP 480  
MEEMKLVDHSKHGQLIKNFTILQGPPGPRGP+GDRGSQGPPGPTGNKGQKGEKGEPGPPGP  
Subjct: 421 MEEMKLVDHSKHGQLIKNFTILQGPPGPRGPKDRGSQGPPGPTGNKGQKGEKGEPGPPGP 480  
Query: 481 AGERGPIGPAGPPPGERGGKGSQGPKGSRGSPGKPGPQGPGSDPGPPGPPGKEGLPGP 540  
AGERG IGP GPPGERG KGSKGSQGPKGSRGSPGKPGPQGPGSDPGPPGPPGK+GLPGP  
Subjct: 481 AGERGTIGPVGPPGERGSKGSQGPKGSRGSPGKPGPQGPGSDPGPPGPPGKDGLPGP 540  
Query: 541 QGPPGFQGLQGTVGEPGVPGPRLPGLPGVPGMPGPKPGPPGPPGAVVPLALQNEPTP 600  
QGPPGFQGLQGTVGEPGVPGPRLPGLPGVPGMPGPKPGPPGPPGSGA+ PLALQNEPTP  
Subjct: 541 QGPPGFQGLQGTVGEPGVPGPRLPGLPGVPGMPGPKPGPPGPPGSGAMEPLALQNEPTP 600  
Query: 601 APEDNGCOPPHWKNFTDKCYYFSVEKEIFEDAHLFCEDKSSHLVFINTREEQQWIKKQMVG 660  
A E NGCOPPHWKNFTDKCYYFS+EKEI EDAHLFCEDKSSHLVFIN+REEQQWIKK VG  
Subjct: 601 ASEVNGCOPPHWKNFTDKCYYFSLEKEILEDALFCEDKSSHLVFINREEQQWIKKHTVG 660  
Query: 661 RESHWIGLTDSERENEWKWLKDGTSPDYKNWKAGQPDNWGHGHGPGEDCAGLIYAGQWNDF 720  
RESHWIGLTDSE+E+EWKWLDP+ DYKNWKAGQPDNWG GHGPGEDCAGLIYAGQWNDF  
Subjct: 661 RESHWIGLTDSEQESEWKWLKDGPVSYKNWKAGQPDNWGSQHGPGEDCAGLIYAGQWNDF 720  
Query: 721 QCEDVNNFICEKDRETVLSSAL 742  
QC+++NNFICEK+RE V SS L  
Subjct: 721 QCDEINNFICEKEREAVPSSIL 742

CPU time: 0.19 user secs. 0.02 sys. secs 0.21 total secs.



Lambda K H  
0.311 0.132 0.391

Gapped  
Lambda K H  
0.267 0.0410 0.140

Matrix: BLOSUM62  
Gap Penalties: Existence: 11, Extension: 1  
Number of Hits to DB: 19,527  
Number of Sequences: 0  
Number of extensions: 530  
Number of successful extensions: 99  
Number of sequences better than 300.0: 1  
Number of HSP's better than 300.0 without gapping: 1  
Number of HSP's successfully gapped in prelim test: 0  
Number of HSP's that attempted gapping in prelim test: 0  
Number of HSP's gapped (non-prelim): 1  
length of query: 742  
length of database: 455,821,981  
effective HSP length: 135  
effective length of query: 607  
effective length of database: 455,821,846  
effective search space: 276683860522  
effective search space used: 276683860522  
T: 9  
A: 40  
X1: 16 ( 7.2 bits)  
X2: 129 (49.7 bits)  
X3: 129 (49.7 bits)  
S1: 42 (21.8 bits)

S2: 66 (30.0 bits)

1-1695(1)

**Nucleotide**

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Book

Search **Nucleotide**

for

**Go** **Clear**

Limits

Preview/Index

History

Clipboard

Details

Display **default****Show:**

20

**Send to:**

File

**Get Subsequence**

4: AB005145. Homo sapiens CL-P...[gi:17026100]

Links

LOCUS AB005145 2983 bp mRNA linear PRI 21-NOV-2001  
 DEFINITION Homo sapiens CL-P1 mRNA for collectin placenta 1, complete cds.  
 ACCESSION AB005145  
 VERSION AB005145.1 GI:17026100  
 KEYWORDS  
 SOURCE Homo sapiens (human)  
 ORGANISM Homo sapiens  
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;  
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.  
 REFERENCE 1  
 AUTHORS Ohtani,K., Suzuki,Y., Eda,S., Kawai,T., Kase,T., Keshi,H.,  
 Sakai,Y., Fukuoh,A., Sakamoto,T., Itabe,H., Suzutani,T.,  
 Ogasawara,M., Yoshida,I. and Wakamiya,N. - ~~bioRxiv~~  
 TITLE The membrane-type collectin CL-P1 is a scavenger receptor on  
 vascular endothelial cells  
 JOURNAL J. Biol. Chem. 276 (47), 44222-44228 (2001)  
 MEDLINE 21570232  
 PUBMED 11564734  
 REFERENCE 2 (bases 1 to 2983)  
 AUTHORS Ohtani,K.  
 TITLE Direct Submission  
 JOURNAL Submitted (25-JUN-1997) Katsuki Ohtani, Asahikawa Medical College,  
 Department of Microbiology; 2-1-1-1 Midorigaoka-Higashi, Asahikawa,  
 Hokkaido 078-8510, Japan (E-mail:ohtani@asahikawa-med.ac.jp,  
 Tel:+81-166-68-2393, Fax:+81-166-68-2399)  
 FEATURES Location/Qualifiers  
 source 1..2983  
 /organism="Homo sapiens"  
 /mol\_type="mRNA"  
 /db\_xref="taxon:9606"  
 /sex="female"  
 /tissue\_lib="placenta"  
 gene 1..2983  
 /gene="CL-P1"  
 CDS 71..2299  
 /gene="CL-P1"  
 /codon\_start=1  
 /product="collectin placenta 1"  
 /protein\_id="BAB72147.1"  
 /db\_xref="GI:17026101"  
 /translation="MKDDFAEEEEVQSFYKRGFIQEGTQCTKCKNNWALKFSIILLY  
 ILCALLTITVAILGYKVVEKMDNVGGMETSQRQTYDDKLTAVESDLKKLGDTGKKAI  
 STNSELSTFRSDILDLRQQLREITEKTSKNKDTLEKLQASGDAVLDRSQLKETLENN  
 SFLITTVNKTQAYNGYVTNLQQDTSVLQGNLQNMQYSHNVVIMNLNNLNLTQVQQRN  
 LITNLQRSVDDTSQAIQRIKNDQFQLQVFLQAKKDWDLKEKVQSLQTLAANNSALA  
 KANNDTLEDMNSQLNSFTGQMENITTISQANEQNLKDLQDLHKDAENRTAIKFNQLEE  
 RFQLFETDIVNIISNISYTAHLRTLTSNLNEVRTCTDTLTKHTDDLTSNNTLANI  
 RLDSVSLRMQQDLMRSRLDEEVANLSVIMEEMKLVDKSKHGQLIKNFTILQGPPGPRGP

RGDRGSQGPPGPTGNKGQKGEKGEPPGPAGERGPIGPAGPPGERGGKGSQGPK  
 GSRGSPGKPGPQGPGSGDPGPGPPGKEGLPGPQGPPGFQGLQGTVGEPGVPGPRGLPG  
 LPGVPGMPGPKGPPGPPGSGAVVPLALQNEPTPAPEDNGCPTHWNFTDKCYFSVE  
 KEIFEDAKLFCEDKSSHVLVINTREEQQWIKKOMVGRESHWIGLTDSERENEWKLDG  
 TSPDYKNWKAGQPDNWGHGHGPGEDCAGLIYAGQWNDFQCEDVNNFICEKDRETVLSS  
 AL"

BASE COUNT 914 a 707 c 703 g 659 t  
 ORIGIN

cooling Seq 1 gggacgactt cctcggtcgc gcggcgctcg cgccggagctc cccggccggc ggtgcgtccc  
 61 cacggtcacc, atgaaagacy acttcycaga gagaggaggat gtgcaatcc ttggtttacaa  
 121 gcggttgggt atttaggaag gaacacaatg tacdaatgtt aaabatlaact gggactgaa  
 181 gttttctatc atattattat acattttgt tgccttgcta acaatcacag tagccatttt  
 241 gggatataaaa gttgttagaga aaatggacaa tgtcacaggt ggcacggaaa catctcgcca  
 301 aaccttatgtat gacaagctca cagcagtggaa aagtgacctg aaaaaattag gtgaccaa  
 361 tggaaagaaaa gctatcagca ccaactcaga actctccacc ttcagatcag acattctaga  
 421 tctccgtcag caacttcgt agattacaga aaaaaccacg aagaacaagg atacgctgga  
 481 gaagttacag gcgagccccg atgctctggt ggacaggcag agtcaattga aagaaaacttt  
 541 ggagaataaac tctttctca tcaccactgt aaacaaaacc ctccaggcgt ataatggcta  
 601 tgtcacgaaat ctgcagcaag ataccagcgt gctccaggc aatctgcaga accaaatgtt  
 661 ttctcataat gtggcatca tgaacctcaa caacctgaac ctgacccagg tgcacgcagg  
 721 gaacctcatc acgaatctgc agcgtctgtt ggatgacaca agccaggcta tccacgcata  
 781 caagaacgac tttcaaaatc tgccggcgggt ttttcttcaa gccaagaagg acacggattt  
 841 gctgaaggag aaagtgcaga gcttgcagac gctggctgcc aacaactctg cgttggccaa  
 901 agccaaacaac gacaccctgg aggatatgaa cagccagctc aactcattca caggtcagat  
 961 ggagaacatc accactatct ctcaagccaa cgacggaaac ctgaaagacc tgcaggactt  
 1021 acacaaagat gcagagaata gaacagccat caagttcaac caactggagg aacgcttcca  
 1081 gctcttgag acggatattt tgaacatcat tagcaatatac agttacacag cccaccaccc  
 1141 gcgacgctg accagcaatc taaatgaagt caggaccact tgcacagata cccttacca  
 1201 acacacagat gatctgaccc tcttgaataa taccctggcc aacatccgtt tggattctgt  
 1261 ttctctcagg atgcaacaag atttgatgag gtcgggggtt gacactgaag tagccaaactt  
 1321 atcagtgatt atgaaagaaa tgaagcttagt agactccaag catggtcagc tcatcaagaa  
 1381 ttttacaata ctacaaggc caccggccccc caggggttca agaggtgaca gaggatccca  
 1441 gggacccctt ggcccaactg gcaacaaggg acagaaagga gagaaggggg agcctggacc  
 1501 acctggccct gcggttgaga gaggcccaat tggaccagct ggtccccccg gagagcgtgg  
 1561 cgccaaagga tctaaaggct cccaggcccc caaaggctcc cgtggttccc ctgggaagcc  
 1621 cgccctcag ggccccactg gggacccagg ccccccggc ccaccaggca aagaggact  
 1681 ccccgccctt cagggccctc ctggcttcca gggacttcag ggcaccgtt gggagccctgg  
 1741 ggtgccttggaa cctcggggac tgccaggctt gcctggggta ccaggcatgc cagggcccaa  
 1801 gggccccccc ggcccttccgc gcccattcagg agcgtgggtt cccctggccc tgcagaatga  
 1861 gccaaccccg gcacggagg acaatggctg cccgcctcac tggagaact tcacagacaa  
 1921 atgctactat ttttcaaggat agaaagaaat ttttggggat gcaaagctt tctgtgaaga  
 1981 caagtcttca catcttggat tcataaacac tagagaggaa cagcaatggaa taaaaaaaaaca  
 2041 gatggtaggg agagagagcc actggatcgg cctcacagac tcagagcgtt aaaaatgtat  
 2101 gaagtggctg gatgggacat ctccagacta caaaaattgg aaagctggac agccggataa  
 2161 ctgggtcat ggccatggc caggagaaga ctgtgttggg ttgattttatg ctggcagtg  
 2221 gaacgatttc caatgtgaag acgtcaataa cttcatttgc gaaaaagaca gggagacagt  
 2281 actgtcatct gcattataac ggactgtgtat gggatcacat gagcaaattt tcagtcata  
 2341 aaggcaaaagg acactccctt ctaatttgcac cacctctca tcagattgaa aaaaaaaaaa  
 2401 cactgaaaac caattactga aaaaaattt acagcttagt ttttttacca tccgtcatta  
 2461 cccaaagact tggaaactaa aatgttcccc agggtatat gctgattttc attgtgcaca  
 2521 tggactgaat cacatagatt ctcctccgtc agtaaccgtt cgttataaca aattatgtct  
 2581 tccaaagtat ggaacactcc aatcagaaaaa aggttatcat tggtcgttga gttatggaa  
 2641 gaacttaagc atatactgtg taaaacagtgc catacatttc taaaatccca agttaggaa  
 2701 aaatatgcag acatacagat atataggcca actatttagt ataatatggaa atataacttaa  
 2761 agacgtttta aaacttggta tttttgtaca aaatattgtt cttttacaat tttttccctt  
 2821 tttttttttt tgtcatttt ccgacataat acatggagcc aaagaaaaaca ataatggtac  
 2881 taataaaaaac tccttagggtt tcctgtcaga tttatttca cccagtggca aagaattttt  
 2941 tcaatttggg cttttttttt ataatattaaat atacatgtat ata

start code  
58 ID:2

*End or end*

//

[Disclaimer](#) | [Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)

Mar 17 2003 10:55:57

**NCBI**   Protein

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Boo

Search **Nucleotide** for  **Go** **Clear**

Limits Preview/Index History Clipboard Details

Display default Show: 1  File

 1: BAB39147. scavenger recepto...[gi:13365515][BLink](#), [Domains](#), [Links](#)

LOCUS BAB39147 742 aa linear PRI 08-MAR-2001  
 DEFINITION scavenger receptor with C-type lectin type I [Homo sapiens].  
 ACCESSION BAB39147  
 VERSION BAB39147.1 GI:13365515  
 DBSOURCE accession AB038518.1  
 KEYWORDS .  
 SOURCE Homo sapiens (human)  
 ORGANISM Homo sapiens  
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;  
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.  
 REFERENCE 1 (sites)  
 AUTHORS Nakamura,K., Funakoshi,H., Miyamoto,K., Tokunaga,F. and Nakamura,T.  
 TITLE Molecular cloning and functional characterization of a human  
 scavenger receptor with C-type lectin (SRCL), a novel member of a  
 scavenger receptor family  
 JOURNAL Biochem. Biophys. Res. Commun. 280 (4), 1028-1035 (2001)  
 MEDLINE 21092718  
 PUBMED 11162630  
 REFERENCE 2 (residues 1 to 742)  
 AUTHORS Nakamura,K. and Nakamura,T.  
 TITLE Direct Submission  
 JOURNAL Submitted (18-FEB-2000) Kenji Nakamura, Osaka University Medical  
 School, Division of Biochemistry, Biomedical Research Center; 2-2  
 yamadaoka, Suita, Osaka 565-0871, Japan  
 (E-mail:knakamur@onbich.med.osaka-u.ac.jp,  
 Tel:81-6-6879-3783(ex.3783), Fax:81-6-6879-3789)  
 FEATURES Location/Qualifiers  
 source 1..742  
   /organism="Homo sapiens"  
   /db\_xref="taxon:9606"  
   /tissue\_lib="Placenta"  
 Protein 1..742  
   /product="scavenger receptor with C-type lectin type I"  
 CDS 1..742  
   /gene="SRCL"  
   /coded\_by="AB038518.1:209..2437"  
 ORIGIN  
 1 mkddfaeeee vqsfgykrfg iqegtqctkc knnwakfsi illyilcall titvailgyk  
 61 vvekmdnvtg gmetsrqtyd dkltavesdl kklgdqtgkk aistnselst frsdildlrq  
 121 qlreitekts knkdtleklq asgdalvdrq sqlketlenn sflittvnkt lqayngyvtn  
 181 lqqdtsvlqq nlqnqmyshn vvimnlnnln ltqvqqrnli tnlqrsvddt sqaiqriknd  
 241 fqlnlqqvflq akkdtdwlike kvqslqtlaa nnsalakann dtledmnsql nsftggmeni  
 301 ttisqaneqn lkdldqlhkd aenrtaikfn qleerfqlfe tdivniissi sytahhlrtl  
 361 tsnlnevrtt ctdtltkhtd dltslnntla nirldsvslr mqqdmlmrsl dtevanlsvi  
 421 meemklvdsk hgqliknfti lqgppgprgp rgdrgsqgpp gptgnkgqkg ekgepgppgp  
 481 agergpypga gppgerggkg skgsqgpkgs rgspgkpgpq gpssgdpgppg ppgkeglpyp  
 541 qgppgfqglq gtvgcgvpg prglpplgvg pgmpgpkgpq gppgpgsagavv plalqneptp  
 601 apednscpph wknftdkcyy fsvekeifed aklfcfedkss hlvfintree qqwikkqmvg

661 reshwigltd serenewkwl dgtspdyyknw kagqpdnwgh ghgpgedcag liyaggwndf  
721 qcedvnnfic ekdretvlss al

//

[Disclaimer](#) | [Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)

Mar 17 2003 10:55:57



## Blast 2 Sequences results

PubMed

Entrez

BLAST

OMIM

Taxonomy


Structure

### BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.2.5 [Nov-16-2002]

Matrix **BLOSUM62** gap open:**11** gap extension:**1**  
 x\_dropoff: **50** expect: **300.0** wordsize: **3** Filter  Align

**Sequence 1** gi|17026101| collectin placenta 1 [Homo sapiens] **Length 742** (1 .. 742)

**Sequence 2** gi|13365515| scavenger receptor with C-type lectin type I [Homo sapiens] **Length 742** (1 .. 742)



NOTE: The statistics (bitscore and expect value) is calculated based on the size of nr database

Score = 1523 bits (3944), Expect = 0.0  
 Identities = 741/742 (99%), Positives = 741/742 (99%)

Query: 1 MKDDFAEEEEVQSF<sup>G</sup>YKRG<sup>I</sup>QEGTQCTKCKNNWALKFSIILLYILCALLTITVAILGYK 60  
 MKDDFAEEEEVQSF<sup>G</sup>YKRG<sup>I</sup>QEGTQCTKCKNNWALKFSIILLYILCALLTITVAILGYK  
 Sbjct: 1 MKDDFAEEEEVQSF<sup>G</sup>YKRG<sup>I</sup>QEGTQCTKCKNNWALKFSIILLYILCALLTITVAILGYK 60

Query: 61 VVEKMDNV<sup>T</sup>GGMETS<sup>R</sup>QTYDDKLTAVESDLKKLG<sup>D</sup>QTGKKAISTNSELSTFRSDILDLRQ 120  
 VVEKMDNV<sup>T</sup>GGMETS<sup>R</sup>QTYDDKLTAVESDLKKLG<sup>D</sup>QTGKKAISTNSELSTFRSDILDLRQ  
 Sbjct: 61 VVEKMDNV<sup>T</sup>GGMETS<sup>R</sup>QTYDDKLTAVESDLKKLG<sup>D</sup>QTGKKAISTNSELSTFRSDILDLRQ 120

Query: 121 QLREITEKTSKNKDTLEKLQASGDALVDRSQLKETLENN<sup>S</sup>LITTVNKT<sup>L</sup>QAYNGYVTN 180  
 QLREITEKTSKNKDTLEKLQASGDALVDRSQLKETLENN<sup>S</sup>LITTVNKT<sup>L</sup>QAYNGYVTN  
 Sbjct: 121 QLREITEKTSKNKDTLEKLQASGDALVDRSQLKETLENN<sup>S</sup>LITTVNKT<sup>L</sup>QAYNGYVTN 180

Query: 181 LQQDTSVLQGNLQNQMYSHNVVIMNLNNLNLTQVQQRNLITNLQRSVDDTSQAIQRIKND 240  
 LQQDTSVLQGNLQNQMYSHNVVIMNLNNLNLTQVQQRNLITNLQRSVDDTSQAIQRIKND  
 Sbjct: 181 LQQDTSVLQGNLQNQMYSHNVVIMNLNNLNLTQVQQRNLITNLQRSVDDTSQAIQRIKND 240

Query: 241 FQNLQQVFLQAKKD<sup>T</sup>DWLKEK<sup>V</sup>QL<sup>S</sup>Q<sup>L</sup>T<sup>A</sup>NN<sup>S</sup>ALAKANNDTLED<sup>M</sup>NSQLNSFTGQMENI 300  
 FQNLQQVFLQAKKD<sup>T</sup>DWLKEK<sup>V</sup>QL<sup>S</sup>Q<sup>L</sup>T<sup>A</sup>NN<sup>S</sup>ALAKANNDTLED<sup>M</sup>NSQLNSFTGQMENI  
 Sbjct: 241 FQNLQQVFLQAKKD<sup>T</sup>DWLKEK<sup>V</sup>QL<sup>S</sup>Q<sup>L</sup>T<sup>A</sup>NN<sup>S</sup>ALAKANNDTLED<sup>M</sup>NSQLNSFTGQMENI 300

Query: 301 TTISQANEQNLKDLQDLHKDAENRTA<sup>I</sup>KFNQLEERFQLFETDIVNIISNISYTAHHRL<sup>T</sup> 360  
 TTISQANEQNLKDLQDLHKDAENRTA<sup>I</sup>KFNQLEERFQLFETDIVNIISNISYTAHHRL<sup>T</sup>  
 Sbjct: 301 TTISQANEQNLKDLQDLHKDAENRTA<sup>I</sup>KFNQLEERFQLFETDIVNIISNISYTAHHRL<sup>T</sup> 360

Query: 361 TSNLNEVRTTCTDTLTKHTDDLTSNNTLANIRLDVSLSRMQQDLMRSRLDEVANLSVI 420  
TSNLNEVRTTCTDTLTKHTDDLTSNNTLANIRLDVSLSRMQQDLMRSRLDEVANLSVI  
Sbjct: 361 TSNLNEVRTTCTDTLTKHTDDLTSNNTLANIRLDVSLSRMQQDLMRSRLDEVANLSVI 420

Query: 421 MEEMKLVDSKHGQLIKNFTILQGPPGPRGPRGDGRSQGPPGPTGNKGQKGEKGEPGPPGP 480  
MEEMKLVDSKHGQLIKNFTILQGPPGPRGPRGDGRSQGPPGPTGNKGQKGEKGEPGPPGP  
Sbjct: 421 MEEMKLVDSKHGQLIKNFTILQGPPGPRGPRGDGRSQGPPGPTGNKGQKGEKGEPGPPGP 480

Query: 481 AGERGPIGPAGPPGERGGKGSKGSQGPKGSRGSPGKPGPQGPGSGDPGPPGPPGKEGLPGP 540  
AGERGPIGPAGPPGERGGKGSKGSQGPKGSRGSPGKPGPQGPGSGDPGPPGPPGKEGLPGP  
Sbjct: 481 AGERGPIGPAGPPGERGGKGSKGSQGPKGSRGSPGKPGPQGPGSGDPGPPGPPGKEGLPGP 540

Query: 541 QGPPGFQGLQGTVGEPGVPGPRGLPGLPGVPGMGPKGPPGPPGSGAVVPLALQNEPTP 600  
QGPPGFQGLQGTVGEPGVPGPRGLPGLPGVPGMGPKGPPGPPGSGAVVPLALQNEPTP  
Sbjct: 541 QGPPGFQGLQGTVGEPGVPGPRGLPGLPGVPGMGPKGPPGPPGSGAVVPLALQNEPTP 600

Query: 601 APEDNGCPPHWKNFTDKCYYFSVEKEIFEDAHLFCEDKSSHLVFINTREEQQWIKKQMVG 660  
APEDN CPPHWKNFTDKCYYFSVEKEIFEDAHLFCEDKSSHLVFINTREEQQWIKKQMVG  
Sbjct: 601 APEDNSCPPHWKNFTDKCYYFSVEKEIFEDAHLFCEDKSSHLVFINTREEQQWIKKQMVG 660

Query: 661 RESHWIGLTDSERENEWKLDGTPDYKNWKAGQPDNWGHGHGPGEDCAGLIYAGQWNDF 720  
RESHWIGLTDSERENEWKLDGTPDYKNWKAGQPDNWGHGHGPGEDCAGLIYAGQWNDF  
Sbjct: 661 RESHWIGLTDSERENEWKLDGTPDYKNWKAGQPDNWGHGHGPGEDCAGLIYAGQWNDF 720

Query: 721 QCEDVNNFICEKDRETVLSSAL 742  
QCEDVNNFICEKDRETVLSSAL  
Sbjct: 721 QCEDVNNFICEKDRETVLSSAL 742

CPU time: 0.13 user secs. 0.06 sys. secs 0.19 total secs.

Lambda R H  
0.312 0.133 0.393

## Gapped Lambdas

Lambda	K	H
0.267	0.0410	0.140

Matrix: BLOSUM62  
Gap Penalties: Existence: 11, Extension: 1  
Number of Hits to DB: 19,823  
Number of Sequences: 0  
Number of extensions: 537  
Number of successful extensions: 99  
Number of sequences better than 300.0: 1  
Number of HSP's better than 300.0 without gapping: 1  
Number of HSP's successfully gapped in prelim test: 0  
Number of HSP's that attempted gapping in prelim test: 0  
Number of HSP's gapped (non-prelim): 1  
length of query: 742  
length of database: 455,821,981  
effective HSP length: 135  
effective length of query: 607  
effective length of database: 455,821,846  
effective search space: 276683860522  
effective search space used: 276683860522  
T: 9  
A: 40  
X1: 16 ( 7.2 bits)  
X2: 129 (49.7 bits)

X3: 129 (49.7 bits)  
S1: 42 (21.8 bits)  
S2: 66 (30.0 bits)

<a href="#">ExPASy Home page</a>	<a href="#">Site Map</a>	<a href="#">Search ExPASy</a>	<a href="#">Contact us</a>	<a href="#">Swiss-Prot</a>		
Hosted by NCSC US	Mirror sites:	Canada	China	Korea	Switzerland	Taiwan
Search <input type="text" value="Swiss-Prot/TrEMBL"/>		<input type="button" value="▼"/> for <input type="text" value="collectin"/>		<input type="button" value="Go"/>	<input type="button" value="Clear"/>	

# NiceProt View of Swiss-Prot: P42916

[Printer-friendly view](#)
[Quick BlastP search](#)

[\[General\]](#)
[\[Name and origin\]](#)
[\[References\]](#)
[\[Comments\]](#)
[\[Cross-references\]](#)
[\[Keywords\]](#)
[\[Features\]](#)
  
[\[Sequence\]](#)
[\[Tools\]](#)

*Note: most headings are clickable, even if they don't appear as links. They link to the user manual or other documents.*

## General information about the entry

Entry name	<b>CL43_BOVIN</b>
Primary accession number	<b>P42916</b>
Secondary accession number	Q8WMF4
Entered in Swiss-Prot in	Release 32, November 1995
Sequence was last modified in	Release 41, February 2003
Annotations were last modified in	Release 42, September 2003

## Name and origin of the protein

Protein name	<b>Collectin-43 [Precursor]</b>
Synonyms	<b>CL-43</b> <b>43 kDa collectin</b>
Gene name	<b>CL43</b>
From	<u>Bos taurus (Bovine)</u> [TaxID: 9913]
Taxonomy	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea; Bovidae; Bovinae; Bos.

## References

### [1] SEQUENCE FROM NUCLEIC ACID.

**TISSUE**=Liver;  
 MEDLINE=22414671; PubMed=12527419; [[NCBI](#), [ExPASy](#), [EBI](#), [Israel](#), [Japan](#)]  
Hansen S., Holm D., Moeller V., Vitved L., Bendixen C., Skjoedt K., Holmskov U.;  
 "Genomic and molecular characterization of CL-43 and its proximal promoter.";  
*Biochim. Biophys. Acta* 1625:1-10(2003).

### [2] SEQUENCE OF 21-321 FROM NUCLEIC ACID, AND PARTIAL SEQUENCE.

**TISSUE**=Liver;  
 MEDLINE=94216283; PubMed=8163480; [[NCBI](#), [ExPASy](#), [EBI](#), [Israel](#), [Japan](#)]  
Lim B.-L., Willis A.C., Reid K.B.M., Lu J., Laursen S.B., Jensenius J.C., Holmskov U.;  
 "Primary structure of bovine collectin-43 (CL-43). Comparison with conglutinin and lung surfactant protein-D.";  
*J. Biol. Chem.* 269:11820-11824(1994).

## Comments

- **FUNCTION:** LECTIN THAT BINDS TO VARIOUS SUGARS: MANNOSE = MANNAC > FUCOSE > GLCNAC > GLUCOSE = MALTOSE > GALACTOSE > LACTOSE > GALNAC. COULD PLAY A ROLE IN IMMUNE DEFENSE.

- **SUBUNIT:** OLIGOMERIC COMPLEX OF 4 SET OF HOMOTRIMERS.
- **SUBCELLULAR LOCATION:** Secreted.
- **TISSUE SPECIFICITY:** Liver-specific.
- **PTM:** Hydroxylated (*Potential*).
- **SIMILARITY:** Contains 1 collagenous domain.
- **SIMILARITY:** Contains 1 C-type lectin family domain.

### Copyright

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to [license@isb-sib.ch](mailto:license@isb-sib.ch))

### Cross-references


	AY071821; AAL61856.1; -.	<a href="#">[EMBL]</a> <a href="#">[GenBank]</a> <a href="#">[DDBJ]</a> <a href="#">[CoDingSequence]</a>
EMBL	AY071822; AAL61856.1; -.	<a href="#">[EMBL]</a> <a href="#">[GenBank]</a> <a href="#">[DDBJ]</a> <a href="#">[CoDingSequence]</a>
	X75912; CAA53511.1; ALT_SEQ.	<a href="#">[EMBL]</a> <a href="#">[GenBank]</a> <a href="#">[DDBJ]</a> <a href="#">[CoDingSequence]</a>
HSSP	P35247; 1B08. <a href="#">[HSSP ENTRY]</a> <a href="#">[PDB]</a>	
	IPR000087; Collagen.	
InterPro	IPR001304; Lectin_C.	
	<a href="#">Graphical view of domain structure</a> .	
Pfam	PF00059; lectin_c; 1.	
	PF01391; Collagen; 2.	
SMART	SM00034; CLECT; 1.	
PROSITE	PS00615; C_TYPE_LECTIN_1; 1.	
	PS50041; C_TYPE_LECTIN_2; 1.	
ProDom	<a href="#">[Domain structure]</a> <a href="#">[List of seq. sharing at least 1 domain]</a> .	
BLOCKS	P42916.	
ProtoNet	P42916.	
ProtoMap	P42916.	
PRESAGE	P42916.	
DIP	P42916.	
ModBase	P42916.	

SWISS-2DPAGE [Get region on 2D PAGE](#).

### Keywords

**Lectin; Hydroxylation; Glycoprotein; Mannose-binding; Collagen; Repeat; Calcium; Signal.**

### Features



Feature table viewer



Feature aligner

Key	From	To	Length	Description
SIGNAL	1	20	20	
CHAIN	21	321	301	COLLECTIN-43.
DOMAIN	49	162	114	COLLAGEN-LIKE.
DOMAIN	222	321	100	C-TYPE LECTIN (SHORT FORM).
DISULFID	224	319		BY SIMILARITY.
DISULFID	297	311		BY SIMILARITY.
CONFLICT	125	125		T -> A (IN REF. <a href="#">2</a> ).
CONFLICT	286	286		N -> G (IN REF. <a href="#">2</a> ).

**Sequence information**

Length: 321 AA [This is the length of the unprocessed precursor]

Molecular weight: 33615 Da  
[This is the MW of the unprocessed precursor]

CRC64: 12BF120BB48861A1 [This is a checksum on the sequence]

10	20	30	40	50	60
MLPLPLSILL	LLTQSQSFLG	EEMDVYSEKT	LTDPC TLVVC	APPADSLRGH	DGRDGKEGPQ
70	80	90	100	110	120
GEKGDPGPPG	MPGPAGREGP	SGRQGSMGPP	GTPGPKGE PG	PEGGVGAPGM	PGSPGPAGLK
130	140	150	160	170	180
GERGTPGPGG	AIGPQGPSGA	MGPPGLKGDR	GDPGEKGARG	ETSVLEVDTL	RQRMRNLEGE
190	200	210	220	230	240
VQRLQNI VTQ	YRKAVLF PDG	QAVGEKIFKT	AGAVKSYS DA	EQLCREAKGQ	LASPRSSAEN
250	260	270	280	290	300
EAVTQLVRAK	NKHAYLSMND	ISKEGKFTYP	TGGSLDYS NW	APGEPNRRAK	DEGPENCLEI
310	320				
YSDGNWNDIE	CREERLV ICE	F			

P42916 in [FASTA format](#)

[View entry in original Swiss-Prot format](#)

[View entry in raw text format \(no links\)](#)

[Report form for errors/updates in this Swiss-Prot entry](#)



**BLAST** [BLAST submission on ExPASy/SIB](#)  
[or at NCBI \(USA\)](#)



Sequence analysis tools: [ProtParam](#), [ProtScale](#),  
[Compute pi/Mw](#), [PeptideMass](#), [PeptideCutter](#),  
[Dotlet \(Java\)](#)



Search the [SWISS-MODEL Repository](#)

<u><a href="#">ExPASy Home page</a></u>	<u><a href="#">Site Map</a></u>	<u><a href="#">Search ExPASy</a></u>	<u><a href="#">Contact us</a></u>	<u><a href="#">Swiss-Prot</a></u>
<u><a href="#">Hosted by NCSC US</a></u>	<u><a href="#">Mirror sites:</a></u> <u><a href="#">Canada</a></u> <u><a href="#">China</a></u> <u><a href="#">Korea</a></u> <u><a href="#">Switzerland</a></u> <u><a href="#">Taiwan</a></u>			

<a href="#">ExPASy Home page</a>	<a href="#">Site Map</a>	<a href="#">Search ExPASy</a>	<a href="#">Contact us</a>	<a href="#">Swiss-Prot</a>		
Hosted by NCSC US	Mirror sites:	<a href="#">Canada</a>	<a href="#">China</a>	<a href="#">Korea</a>	<a href="#">Switzerland</a>	<a href="#">Taiwan</a>
Search <input type="text" value="Swiss-Prot/TrEMBL"/>		<input type="text" value="for collectin"/>		<input type="button" value="Go"/>	<input type="button" value="Clear"/>	

# NiceProt View of Swiss-Prot: Q8MHZ9

[Printer-friendly view](#)
[Quick BlastP search](#)

[\[General\]](#)
[\[Name and origin\]](#)
[\[References\]](#)
[\[Comments\]](#)
[\[Cross-references\]](#)
[\[Keywords\]](#)
[\[Features\]](#)  
[\[Sequence\]](#)
[\[Tools\]](#)

*Note: most headings are clickable, even if they don't appear as links. They link to the user manual or other documents.*

## General information about the entry

Entry name	<b>CL46_BOVIN</b>
Primary accession number	<b>Q8MHZ9</b>
Secondary accession numbers	None
Entered in Swiss-Prot in	Release 41, February 2003
Sequence was last modified in	Release 41, February 2003
Annotations were last modified in	Release 41, February 2003

## Name and origin of the protein

Protein name	<b>Collectin-46 [Precursor]</b>
Synonyms	<b>CL-46</b> <b>46 kDa collectin</b>
Gene name	<b>CL46</b>
From	<u>Bos taurus (Bovine)</u> [TaxID: <a href="#">9913</a> ]
Taxonomy	<u>Eukaryota</u> ; <u>Metazoa</u> ; <u>Chordata</u> ; <u>Craniata</u> ; <u>Vertebrata</u> ; <u>Euteleostomi</u> ; <u>Mammalia</u> ; <u>Eutheria</u> ; <u>Cetartiodactyla</u> ; <u>Ruminantia</u> ; <u>Pecora</u> ; <u>Bovoidea</u> ; <u>Bovidae</u> ; <u>Bovinae</u> ; <u>Bos</u> .

## References

### [1] SEQUENCE FROM NUCLEIC ACID.

Hansen S., Holm D., Moeller V., Vitved L., Bendixen C., Reid K.B.M., Skjoedt K., Holmskov U.; "CL-46, a novel collectin highly expressed in the bovine thymus and liver."; Submitted (MAY-2002) to the EMBL/GenBank/DDBJ databases.

## Comments

- **SUBUNIT**: Oligomeric complex of 4 set of homotrimers (*By similarity*).
- **SUBCELLULAR LOCATION**: Secreted.
- **TISSUE SPECIFICITY**: Highly expressed in thymus and liver.
- **PTM**: Hydroxylated (*Potential*).
- **SIMILARITY**: Contains 1 collagenous domain.
- **SIMILARITY**: Contains 1 C-type lectin family domain.

## Copyright

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to [license@isb-sib.ch](mailto:license@isb-sib.ch))


## Cross-references

AF509589; AAM34742.1; -. [[EMBL](#) / [GenBank](#) / [DDBJ](#)] [[CoDingSequence](#)]

EMBL	AF509590; AAM34743.1; -.[EMBL / GenBank / DDBJ] [CoDingSequence] IPR000087; Collagen.
InterPro	IPR001304; Lectin_C. <a href="#">Graphical view of domain structure</a> .
Pfam	PF00059; lectin_c; 1. PF01391; Collagen; 3.
SMART	SM00034; CLECT; 1.
PROSITE	PS00615; C_TYPE_LECTIN_1; 1. PS50041; C_TYPE_LECTIN_2; 1.
ProDom	[Domain structure / List of seq. sharing at least 1 domain].
BLOCKS	<a href="#">Q8MHZ9</a> .
ProtoNet	<a href="#">Q8MHZ9</a> .
ProtoMap	<a href="#">Q8MHZ9</a> .
PRESAGE	<a href="#">Q8MHZ9</a> .
DIP	<a href="#">Q8MHZ9</a> .
ModBase	<a href="#">Q8MHZ9</a> .
SWISS-2DPAGE	Get region on 2D PAGE.

**Keywords**

**Lectin; Hydroxylation; Glycoprotein; Mannose-binding; Membrane; Collagen; Repeat; Calcium; Signal.**

**Features**[Feature table viewer](#)[Feature aligner](#)

Key	From	To	Length	Description
SIGNAL	1	20	20	POTENTIAL.
CHAIN	21	371	351	COLLECTIN-46.
DOMAIN	46	216	171	COLLAGEN-LIKE.
DOMAIN	273	371	99	C-TYPE LECTIN (SHORT FORM).
SITE	201	203	3	CELL ATTACHMENT SITE (POTENTIAL).
DISULFID	275	369		BY SIMILARITY.
DISULFID	347	361		BY SIMILARITY.
CARBOHYD	90	90		N-LINKED (GLCNAC...) (POTENTIAL).

**Sequence information**

Length: 371 AA [This is the length of the unprocessed precursor]

Molecular weight: 37445 Da  
[This is the MW of the unprocessed precursor]

CRC64: 108AC45A91420E83 [This is a checksum on the sequence]

10	20	30	40	50	60
MLLPLS	VLL	LLTQPWR	SLG	AEMKIYS	SQKT
70	80	90	100	110	120
GEKGDPGSPG	PAGRAGRPGP	AGPIGPKGDN	GSAGEPGPKG	DTGPPGPPGM	PGPAGREGPS
130	140	150	160	170	180
GKQGSMGPPG	TPGPKGDTGP	KGGMGAPGMQ	GSPGPAGLKG	ERGAPGELGA	PGSAGVAGPA

190	200	210	220	230	240
GAIGPQGPGSG	ARGPPGLKGD	RGDPGERGAK	GESGLADVNA	LKQRVTILEG	QLQRLQNAFS
250	260	270	280	290	300
RYKKAVLFPD	GQAVGKKIFK	TAGAVKSYSID	AQQLCREAKG	QLASPRSAAE	NEAVAQLVRA
310	320	330	340	350	360
KNNDALFLSMN	DISTEGKFTY	PTGESLVYSN	WASGEPENNNN	AGQPENCVQI	YREGKWNDVP
370					
CSEPLLVICE F					

[Q8MHZ9 in  
FASTA format](#)

[View entry in original Swiss-Prot format](#)

[View entry in raw text format \(no links\)](#)

[Report form for errors/updates in this Swiss-Prot entry](#)

**BLAST** [BLAST submission on](#)  
[ExPASy/SIB](#)  
 or at [NCBI \(USA\)](#)



Sequence analysis tools: [ProtParam](#), [ProtScale](#),  
[Compute pI/Mw](#), [PeptideMass](#), [PeptideCutter](#),  
[Dotlet \(Java\)](#)



[ScanProsite](#), [MotifScan](#)



Search the [SWISS-MODEL Repository](#)

<a href="#">ExPASy Home page</a>	<a href="#">Site Map</a>	<a href="#">Search ExPASy</a>	<a href="#">Contact us</a>	<a href="#">Swiss-Prot</a>
<a href="#">Hosted by NCSC US</a>	<a href="#">Mirror sites:</a>	<a href="#">Canada</a> <a href="#">China</a> <a href="#">Korea</a> <a href="#">Switzerland</a> <a href="#">Taiwan</a>		